# HOME VISITATION LEADERSHIP ADVISORY COALITION

Wednesday, May 15, 2019

10:00 am – Noon OSDH, Eighth Floor Room 806

# This meeting available via VideoConference!

Click link above for VideoConference registration instructions or contact OSDH/FSPS for more information, (405) 271-7611.

MUST register at least (2) business days prior to meeting for VideoConference participation!



# Agenda

Please bring or forward in advance any related materials, brochures, calendars specific to your program for sharing!

# **WELCOME**

- Introductions and sharing of program information [Roll Call by County]
- Announcements upcoming conferences, community resources, and related discoveries that would benefit other home visitation efforts across the state!

# **CAP Month Sharing**

CAP Month in your community

BRAG - BORROW - STEAL - Share prevention efforts close to home.

# **Special Presentation**

Lead Poisoning Prevention for Home Visitation Staff

A brief overview of lead poisoning prevention and the problem of lead in Oklahoma. Lead poisoning has no symptoms, but can have devastating long-term effects. Learn more about prevention and sources of lead exposure.

Susan Quigley, Administrative Program Manager

Oklahoma Childhood Lead Poisoning Prevention Program (OSDH)

parentPRO Data Discussion\*

Feel free to bring your questions and/or needs as all things data will be discussed.

John Delara, MPH, Epidemiologist

Family Support and Prevention Service (OSDH)

#### **BUSINESS**

Old Business

**New Business** 

# 2019-2020 Home Visitation Meeting Calendar – CLICK HERE

### **ADJOURN**

#### Please note:

Meetings are from 10:00 a.m. until Noon at the Oklahoma State Health Department 1000 NE 10<sup>th</sup> St, OKC, OK 73117 (405) 271-7611

<sup>\*</sup>While all participants are welcome to stay and enjoy this topic, it may only prove relevant to those involved with parentPRO programs.

# Home Visitation Leadership Advisory Coalition

# May 15, 2019 10:00 a.m. to 12:00 p.m. ODSH Room 806

Minutes

#### **Central Office Attendance:**

John Delara, OSDH/FSPS Patti DeMoraes, LCDA Sherry Fair, Parent Promise Tiffany Holmes, OSDH/FSPS Denise Howard, OCCHD- C1 Vicki Land, Smart Start Yolanda Lucero, OKCPS PAT Ellie Pochyly, SafeCare Tracie Rochester, OSDH C1 Sherie Trice, OSDH/FSPS Mindy Turner, Bethany PAT

#### **VideoConference Attendance:**

Carter: Julie Williamson, parentPRO PAT

**Garvin:** Deidra Smith, Frontline Family Solutions **Kay:** Melanie Gardside, NOYS; Jamie Metcalf, NOYS

**Kiowa:** Emma Shandor, GPYFS **Muskogee:** Sarah Franke, CREOKS

Seminole: Shai Alexander; Tina Johnson; Amanda Prince; Suzanne Sosbee -- Hughes/Seminole Tulsa: Cristi Almader, parentPRO; Ariane Betancourt, CAP Tulsa; Ashlee Cabrera, THD; Sheri Davis, PCCT; Marisol Ibarra-Rogel, PCCT; Dana James, CAP Tulsa; Dava Kramer, THD;

Cathy Sullivan, THD; Sarah Neyman, PCCT

#### Welcome

- Introductions and sharing of program information
- Announcements
  - Bringing House Calls Back is a new service, doctors come to the home instead of clients going to hospital. They accept most forms of insurance including Medicare/SoonerCare. For more information: www.dispatchhealth.com
  - Next **State Plan Review** Meeting -- October 10, 2019 (Time/Location TBD)

# **CAP Month Sharing**

#### **CAP Month in Your Community**

- Annual Child Abuse & Neglect Conference received positive feedback.
  - Informative breakouts sessions
- <u>Handle with Care</u> is committed to teaching staff how to deal with behaviorally challenged population in a way the preserves the client's dignity.
  - In the event Law enforcement is called to a residence regarding tragedy or trauma, the officer will send an email to the child's school and the teacher will be notified that the child may need some extra attention/patience.
  - The only information provided is child's name, school, and a message that says "Handle with Care".
  - OCCY will hold a training 06-07-19. For more information, contact Cherra Taylor (OCCY) at (405) 606-4924

- LCDA had a Blue Ribbon Tree event with approx. 95 attendees. They tied ribbons on trees, took pictures and had an egg hung. Inside eggs were positive notes and tips on how to take care of children.
- Carter County had Kids Day in the Park; free family fun featuring area resources for families, fun activities, games, arts and crafts, giveaways and live stage entertainment. They had a spinning wheel with healthy food ideas and social emotional questions and taught relaxation techniques.
- Proclamations designated for Child Abuse Prevention Month from Governor, The House and Senate Chambers, OKC, Lawton, Tulsa, and a few other rural areas
- Pinwheel Gardens were everywhere representing Child Abuse Prevention Month
- Great Plains Youth & Family Services (GPYFS) allowed community to come and get free blue ribbons to place around town. For those with disabilities or unable to handle themselves, GPYFS would place blue ribbons for them
- Northern Oklahoma Youth Services hosted a huge Easter Egg Hunt with approx.
   700 eggs as a part of their self-esteem group connection
- OSDH delivered over 300 lbs. of diapers to Infant Crisis Services

### **Special Presentation**

## **Lead Poisoning Prevention**

A brief overview of lead poisoning prevention and the problem of lead in Oklahoma. Lead Poisoning has no symptoms, but can have devastating long-term effects. Learn more about prevention and sources of lead exposure.

Susan Quigley, Administrative Program Manager Oklahoma Childhood Lead Poisoning Prevention Program Oklahoma State Department of Health (Please See Attachment)

#### parentPRO Data Discussion

New Update

- Submitting Referrals
  - Emails have been sent to consultants with steps to configure computers to be compatible with the ETO update.
- The new view in ETO will go into effect in June. The old look will not be available when the change is made.
- New Version Mobile Capabilities -- They are not functioning correctly. John will contact Social Solutions for an update.

John Delara, MPH, Epidemiologist Family Support & Prevention Service (OSDH)

#### **Upcoming 2019 Meeting Dates**

- July 17, 2019 (OSDH Room 806 Video Conference <u>may</u> be available)\*
- September 18, 2019 (OSDH Room 806 Video Conference may be available)\*

#### Meeting Adjourned at 12:00 pm

# Lead Poisoning Prevention for Home Visitation Staff May 15, 2019

Childhood Lead Poisoning Prevention Program
1000 NE 10<sup>th</sup> St
Oklahoma City, OK 73117
Phone: (405)271-6617 or 1-800-766-2223
Fax: (405)271-4971
Email: oklppp@health.ok.gov

Ä

OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW HEALTH OK GO

# **Overview**

- \* Role of the OCLPPP
- \* Common Public Perceptions about Lead
- \* Common and Possible Sources of Lead Exposure
- \* Helping Parents with Lead Poisoning Prevention and Education



# Oklahoma Childhood Lead Poisoning Prevention Program

- \* Goal is to prevent lead poisoning and lead exposure in children up to 72 months of age
- \* Through surveillance to identify areas of higher risk to target education and case management activities
- All results of lead testing are required to be reported to us, regardless of age
- Work with providers, clinics, health departments, laboratories and Head Start programs



OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW.HEALTH.OK.GO

# **Preventing Further Exposure**


- Notify parents and providers of any results that are 5 micrograms per deciliter (µg/dL) or more
- Offer guidance and provide educational material to providers and parents whose children have been screened for lead and have elevated lead levels
- \* Complete in-home environmental investigations for children with high blood lead levels



OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW.HEALTH.OK.GO

# Common Public Perceptions about Lead

- \* It was a problem, but not anymore
- \* It's only found in old houses
- \* It's in the water
- \* It's only bad if it causes symptoms
- \* It happens to poor children
- \* It isn't a big deal
- \* We don't need to test children




# It was a problem, but not anymore

- \* Lead in household paint was banned in 1978
  - But still allowed in industrial paint
- \* Lead in gasoline has been phased out
  - But lead settled in the soil near major highways
- \* Less products contain lead than previously
- But imported items can and do still contain lead


OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW.HEALTH.OK.GOV

# It's only found in old houses

- Most lead poisoning cases among children in the U.S are due to exposure to lead-based paint hazards and leadcontaminated dust in older homes (pre-1978)
  - Some counties in Oklahoma still have a high percentage of older homes (i.e. Over 50% of homes in Alfalfa and Tillman counties were built before 1960)
- However, others items can still contain lead and be a source of exposure







# It's in the water

#### How to Lower Lead in Water:

- \* Use filters or filter systems that are rated to remove lead
- \* Have water tested
- \* Run water for a few minutes before using for cooking/drinking
- \* Use cold, not hot water for drinking/cooking



# It's only bad if it causes symptoms

#### **Symptoms of Lead Poisoning**

- \* Probably will have NO symptoms
  - \* Headache
  - \* Irritability
  - \* Stomachache
  - \* Loss of appetite
  - \* Anemia



OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW.HEALTH.OK.GOV


# It's only bad if it causes symptoms

#### **Symptoms of Lead Poisoning**

- \* Probably will have NO symptoms
- \* Headaches
- \* High Blood Pressure
- \* Kidney Problems
- \* Loss of coordination
- \* Weight Loss
- \* Loss of appetite







# One Grain of Sugar ÷ 1000 = One Microgram One Microgram One Microgram

# It happens to poor children

- \* Socioeconomic Risks
- \* Children who live in poverty
- \* Poor nutrition
- \* Family may work in higher risk occupations
- \* Are more likely to be from immigrant backgrounds
- \* However, with what we know about even lower levels causing problems, lead exposure can affect everyone.

# It isn't a big deal

- Approximately half a million children age 1-5 in the U.S. have a blood lead levels ≥5 µg/dL
- \* Each year, approximately 1,000 Oklahoma children less than six years of age have a blood lead level ≥5 μg/dL
- On a population scale, a shift of only a couple IQ points results in fewer intellectually gifted individuals and more individuals who are intellectually disabled
  - Increases special education costs
  - Decreases lifetime earning potential



OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW.HEALTH.OK.GOV

#### We don't need to test children

- \* They aren't at risk or It's been eliminated or There's no cure, so it doesn't matter or There's no reason to worry about it
- \* The only way to know if a child has an elevated blood lead level is to do a blood test
  - The sooner we know about the problem, the better



OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW.HEALTH.OK.GOV

# **Lead screening is important**

Elevated blood lead levels in children affect a child's mental development.




Learning disabilities

- Behavioral problems
- Mental retardation
- Loss of IQ points













# **Possible and Common Sources of Lead Exposure** Water-Older lead pipes Lead solder

# **Other Risk Factors to Consider**

- \* Sibling or playmate with lead poisoning?
- \* Live in or visit older homes?
- \* Vinyl or plastic mini-blinds?
- \* Home remedies?
- \* Glazed cooking or eating items?
- \* Recent immigration?

OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW.HEALTH.OK.GOV

# **Exposure Pathways** Hand to mouth contact: (Paint chips, dust, soil)

#### **INHALED:**

Food Water

INGESTED:

Breathing in lead contamined dust or soil.

ABSORBED: (very rarely)

#### True or False?

- If lead is suspected in drinking water, it should be boiled to remove the lead prior to drinking or cooking.
- Prior to 1952, 80% of US lead poisoning cases for children were through eating pencil lead or being injured with pencil lead.
- \* Lead can pass through the placenta and harm a developing fetus
- \* A dust mask should be used to protect you from lead dust during remodeling activities involving lead based paint.



OKLAHOMA STATE DEPARTMENT OF HEALTH · CREATING A STATE OF HEALTH · WWW.HEALTH.OK.GOV

#### True or False?

- Vacuuming up lead chips and lead dust is the fastest and easiest way to remove lead dust dangers from your home.
- \* A safe level for blood lead in a child under six years of age is
- \* You can tell is a child is lead poisoned by doing a physical examination.
- \* Lead is no longer used in items made in the United States.
- Like chewing gum, most lead stays in your body for at least seven years.

.

OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW.HEALTH.OK.GOV

Assisting Parents with Lead Poisoning Prevention and Screening



# Who should be screened?

- \* Any child 6 months up to 6 years
- Initial capillary or venous samples MUST be collected for ALL Oklahoma children at 12 months and 24 months of age
- If a child did not have a test and is still under age 6, a blood lead test must be collected.

Ž.

OKLAHOMA STATE DEPARTMENT OF HEALTH · CREATING A STATE OF HEALTH · WWW.HEALTH.OK.GO

# Things that parents should know

Most providers will discuss the following with parents of children with elevated lead levels:

- \* Lead Level Meaning
- \* Health Effects
- \* Wet Cleaning versus Dry Dusting
- \* Nutrition
- \* Follow-up testing
- \* How to safely remove hazards

.

OKLAHOMA STATE DEPARTMENT OF HEALTH - CREATING A STATE OF HEALTH - WWW.HEALTH.OK.GOV

# Follow-up Recommendations Capillary lead screen results ≥5 μg/dL require confimatory venous lead test\* Venous lead screen 5-19 μg/dL Venous lead screen ≥ 20 μg/dL Initial capillary levels from 5 − 9 μg/dL can be confirmed with a second capillary test collected within 12 weeks.

# **Best Advice to Give Parents**

- \* Wash child's hands, toys and things frequently placed in mouth often.
- \* Minimize dust. Wet mop surfaces, remove shoes at door, use damp cloths to clean.
- Give children healthy foods high in iron and calcium.
- \* Plant grass or ground cover on exposed areas of soil.
- \* Don't store food in lead crystal or pottery with lead-based glaze. Be careful of imported items which may contain lead.

š

OKLAHOMA STATE DEPARTMENT OF HEALTH · CREATING A STATE OF HEALTH · WWW.HEALTH.OK.GO

# Questions??

Susan Quigley
Program Manager
Oklahoma Childhood Lead Poisoning
Prevention Program
405 271-9444 ext 56720